

IN THE CLAIMS:

Kindly amended claims 1-4 and add new claims 5-20 as shown in the following listing of claims, which replaces all previous versions and listings of claims:

1. (currently amended) A wrist watch comprising: a main body having a timepiece movement disposed therein; a bezel mountable to the main body; and wherein the main body and the bezel are constituted by a screwing structure including a bayonet structure for removably rotatably mounting the bezel to the main body and comprising, ~~the bayonet structure is provided~~ a projected portion having a front end with ~~in~~ a semispherical shape ~~or in a shape of a mountain~~ provided on one side of the bezel and a ~~an~~ opposed face of the main body confronting the bezel, ~~urged to other side by an elastic member~~, and a recess portion provided on the other one of the bezel and the confronting face of the main body ~~side~~ and ~~fitted with~~ and removably fitted to the front end of the projected portion.

2. (currently amended) A wrist watch according to claim 1; further comprising an elastic member for urging the bezel away from the main body; ~~claim 1~~, wherein the recess portion and the elastic member are provided on the bezel, and ~~is attached with a bayonet part comprising an elastic member~~

~~integrally formed with the projected portion~~ is provided on
the confronting ~~on a side of the opposed face of the main body~~
~~and the main body includes the recess portion on the side of~~
~~the opposed face of the bezel.~~

3. (Amended) A wrist watch according to claim 1;
~~claim 1~~, wherein the recess portion is ~~formed by being~~
surrounded by the projected portion ~~projected to a face of~~
~~forming thereof.~~

4. (Amended) A wrist watch ~~characterized in~~
comprising: an inner case body having including a timepiece
movement disposed therein; ~~watch function part~~, an outer case
body for forming ~~a containing portion in conformity with an~~
~~outer shape of the inner case body and having a strap attached~~
~~with a strap made thereto~~ to wrap on the a user's arm; and a
rotatable bezel for fixing the inner case body to the outer
case body, ~~wherein the wrist watch is assembled by sandwiching~~
the inner case body between the outer case body and the bezel.

5. (new) A wrist watch according to claim 1;
further comprising a groove formed in one of the bezel and the
main body; and an elastic member for urging the bezel away
from the main body and being ~~is~~ urged into the groove.

6. (new) A wrist watch according to claim 5; wherein the groove has one or more recesses formed therein and the elastic member has one or more projections formed therein for engaging the recesses during rotation of the bezel relative to the main body to impart a click feel to rotation of the bezel.

7. (new) A wrist watch according to claim 6; wherein the main body comprises an inner body in which the timepiece movement is disposed and having a transparent member formed over a display of the timepiece movement; and an outer body in which the inner body is disposed; wherein the bezel fixes the inner body to the outer body by sandwiching the inner body between the outer body and the bezel.

8. (new) A wrist watch according to claim 1; wherein the main body comprises an inner body in which the timepiece movement is disposed and having a transparent member formed over a display of the timepiece movement; and an outer body in which the inner body is disposed; wherein the bezel fixes the inner body to the outer body by sandwiching the inner body between the outer body and the bezel.

9. (new) A wrist watch according to claim 1; wherein the bezel has a bezel main body with decorative indicia provided on a top surface, and a mark hole provided on

the top surface for indicating a position of the bezel relative to the main body; and wherein the bayonet structure is provided along an inner wall on a rear surface of the bezel main body confronting a face of the main body.

10. (new) A wrist watch according to claim 1; further comprising an elastic member for urging the bezel away from the main body; wherein the recess portion and the elastic member are provided on the confronting face of the main body, and the projected portion is provided on the bezel.

11. (new) A wrist watch according to claim 1; wherein the projected portion comprises a plurality of first projections formed about a circumference of an upper surface of the main body, and the recess has a plurality of second projections corresponding to the first projections and being formed about an inner circumference of the bezel for engaging the first projections; and wherein the bezel is rotatable relative to the main body between a first position at which the recesses are disposed between the first projections so that the bezel may be removed from the main body and a second position at which the second projections engage the first projections to prevent removal of the bezel from the main body.

12. (new) A wristwatch comprising: a main body; a timepiece movement disposed in the main body; a bezel surrounding a display of the timepiece movement; and a bayonet structure removably rotatably mounting the bezel to the main body.

13. (new) A wristwatch according to claim 12; wherein the bayonet structure comprises a plurality of first projections formed about a circumference of an upper surface of the main body, and a plurality of second projections formed about an inner circumference of the bezel for engaging the first projections; and wherein the bezel is rotatable relative to the main body between a first position at which the second projections are disposed between the first projections so that the bezel may be removed from the main body and a second position at which the second projections engage the first projections to prevent removal of the bezel from the main body.

14. (new) A wristwatch according to claim 13; further comprising a groove formed in one of the bezel and the main body; and an elastically deformable member provided on the other of the bezel and the main body and urged into the groove.

15. (new) A wristwatch according to claim 13; wherein the groove has one or more recesses formed therein, and the elastically deformable member has one or more projections formed therein for engaging the recesses during rotation of the bezel relative to the main body to impart a click feel to rotation of the bezel.

16. (new) A wristwatch according to claim 15; wherein the main body comprises an inner body in which the timepiece movement is disposed and having a transparent member formed over the display of the timepiece movement; and an outer body in which the inner body is disposed; wherein the bezel fixes the inner body to the outer body by sandwiching the inner body between the outer body and the bezel.

17. (new) A wristwatch according to claim 12; wherein the main body comprises an inner body in which the timepiece movement is disposed and having a transparent member formed over the display of the timepiece movement; and an outer body in which the inner body is disposed; wherein the bezel fixes the inner body to the outer body by sandwiching the inner body between the outer body and the bezel.

18. (new) A wristwatch according to claim 12; wherein the bezel has a bezel main body with decorative indicia provided on a top surface, and a mark hole provided on

the top surface for indicating a position of the bezel relative to the main body; and wherein the bayonet structure is provided along an inner wall on a rear surface of the bezel main body confronting a face of the main body.

19. (new) A wrist watch according to claim 4; further comprising a bayonet structure for removably rotatably mounting the bezel to the outer case body.